

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER :					

159860

Page 2

N900040100

Setup Start *NS1*

Stop ***NS2***

60

60

Reference: SCHEDULED/S

Run Start *NR1*

Stop ***NR2***

**Insp.
Stamp**

130

65

MAY 02 2017

140

65

Issue P/O to ATG: 36/66

Certification of Comformity is required

150

1.20

Packaging

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : _____					

Work Order ID 159860

Wednesday, April 19, 2017 11:29:57 AM

159860

Page 3

Item ID: 646.3715 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Strut Doubler
Start Date: 4/21/2017 Start Qty: 60.00 ***60*** Cust Item ID:
Required Date: 5/10/2017 Req'd Qty: 60.00 ***60*** Customer:
Reference: SCHEDULED/S

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 *160* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo 2.5 mils thickness primer DAS 38 9-89	0.00 1.20				65			JUN 13 2017
190 *190* Packaging Packaging	Identify as per dwg & Stock Location: 80 105 Memo ***IDENTIFY AS PER APICAL MPP-120 BY STAMPING THE P# AND REV***	0.00 0.60				65		DAS 26 9-89	JUN 13 2017
200 *200* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 6.00						17/6/14	JUN 13 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : _____									

Picklist Print

Wednesday, April 19, 2017 11:29:57 AM

Page 1

Work Order ID: 159860

159860

Parent Item: 646.3715

646 3715

Parent Item Name: Strut Doubler

Start Date: 4/21/2017

Required Date: 5/10/2017

Start Qty: 60.00

Required Qty: 60.00

Comments: IPP REV:A 12.10.22 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6S.040		Purchased	No			110	sf	147.4700	0.0434	2.741052			

M6061T6S 040

6061-T6 .040 Sheet

on 17/05/02

Location

Loc Qty

Loc Code

MAT

64

m137165

64

MAT021

83.47

m135612

25.35

m135632

3.51

m135724

9.11

m136790

45.5

2.2
1.9

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____			
Misidentified ☐		Past Due ☐					


APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 03702				SHEET 1 OF 2	
	DWG NO. 646.3700	REV: A	PREPARED BY B. PETERS	DATE: 11/15/12	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: SHEETMETAL					
	APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF: NEXT ORDER		
TRANSACTION CODES (TC): A-ADD C-CREATE R-REVISE D-DELETE	REASON: ADDED ALTERNATE MATERIAL AND REVISED REFERENCE DIMENSIONS				EDR: D-12-010	

SHEET 1, ZONE A2 IS:

IS

⚠ PRIMARY MATERIAL: ALUMINUM 6061-T6 PER AMS-QQ-A-250/11
ALTERNATE MATERIAL: SS 17-4 PH PER AMS 5604

IS




SHEET 7, ZONE B1 IS:


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 159860 MWS

1704-De


F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL	SPECIFICATION
DOCUMENTS EFFECTED:				☐ RFMS ☐ MDL ☐ INSTALL INSTRU ☐ ICA ☐ BOM	CHANGE CATEGORY ☐ MAJOR ☒ MINOR	DER REVIEW REQUIRED ☐ YES ☒ NO



SHEET 7, ZONE C4 IS:



SHEET 7, ZONE D1 IS:



SHEET 7, ZONE B7 IS:


F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION
-----	----	-------------	-----	-------------	------------------------

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES AND REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED

REV	DESCRIPTION	DATE	APPROVED
A	UNINCORPORATED ECN(S)	03/02/02	TECH

NOTES:


- 1 MATERIAL: ALUMINUM 6061-T6 PER AMS-QQ-A-250/11
- 2 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK;
CARDINAL 4860-50 PRETREATMENT PRIMER
PRIME IAW MIL-P-23377J TYPE I CLASS N
- 3 MATERIAL: 17-4 PH AMS 5604, CONDITION H900
- 4 FINISH: PRIME IAW MIL-P-23377J TYPE I CLASS N
5. DEBURR AND BREAK ALL SHARP EDGES
6. IDENTIFY IAW MPP-120



646.3710

UNINCORPORATED ECN(s)

03702



QTY	FND #	PART #	DESCRIPTION	MATL	SPEC.
		646.3719	DOUBLER		
		646.3718	CUSTOM WASHER		
		646.3717	DOUBLER		
		646.3716	GAUGE BRACKET		
		646.3715	DOUBLER		
		646.3714	GUSSET		
		646.3713	GUSSET		
		646.3712	CLIP		
		646.3711	CLIP		
		646.3710	DOUBLER		


QTY	FND #	PART #	DESCRIPTION	MATL	SPEC.
		646.4000	DOUBLER		

ORIGINAL DATE	REV. DATE
DESIGNED BY	ENGINEER
DRAWN BY	INSP
CHECKED BY	QC
APPROVED BY	MANAGER
DATE	

UNLESS OTHERWISE SPECIFIED	SEE CAGE CODE	DWG. NO.	REV.
ALL DIMENSIONS ARE IN INCHES	B	07M26	646.3700
1 PLACE DECIMAL = 0.1			
2 PLACES DECIMAL = 0.01			
ANGLES: D. P.			

APICAL INDUSTRIES	
2608 TEMPLE HEIGHTS DR.	
OCEANSIDE, CA. 92056-3512 (760)724-5300	
SHEETMETAL	
SCALE: NONE	SHEET 1 OF 9

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



SECTION A-A



21.33

R21.94

R.13 4PL

R395.138

13.51

SECTION B-B



10.49

10.54




APICAL INDUSTRIES		2608 TEMPLE HEIGHTS DR.		OCEANSIDE, CA. 92056-3512 (760)724-5300	
SHEETMETAL		646.3700		SHEET 2 OF 9	
DATE	CAGE CODE	QTY	INC	REV	
B	07M16			A	
SCALE NONE					

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED





646.3711 SHOWN
646.3712 OPPOSITE




NEXT ASSY (S)	ORIGINAL DATE (D-M-Y)	08-18-08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
	DRAWN BY	P. BRAVO		
	CHECKER	S. JOSEPH		
	DRAWING APPROVAL	S. JOSEPH		
	CONTRACT NO.		SHEETMETAL	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ±.5°			
			SHEET CODE: B DWG. NO. 646.3700 SCALE: NONE	REV. A SHEET 3 OF 9

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES AND REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



SECTION C-C





646.3713




FLAT PATTERN

NEXT ASSY IS:	ORIGINAL DATE 08-15-08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300 SHEETMETAL	
	DRAWN BY P. BAJO		
	CHECKED BY J. SCHERF		
	DATE 08-15-08		
CONTRACT NO.		SHEET 4 OF 9	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES		SEE TGA CODE B 07026	REV A
SCALE 1:1		646.3700	




PENSION			
ISS	DESCRIPTION	DATE	APPROVE



SECTION D-D



646.3714



FLAT PATTERN

ORIGINAL DATA (TAG-DA-1) 08 10 08 DRAWING: 1 CHECKED: 1 DATE: 08 MAY 08 DRAWING: APPROVAL: S. JENSEN DATE: 08 MAY 08 COMMENTS:	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR OCEANSIDE, CA. 92056-3512 (760)724-5300 SHEETMETAL																		
UNLESS OTHERWISE SPECIFIED CONSTRUCTION AND FINISHES TO FOLLOW: AIAA 900 1. FINISH: POLISHED 2. FINISH: POLISHED 3. FINISH: POLISHED	<table border="1"> <tr> <td>REV</td> <td>DATE</td> <td>CODE</td> <td>BY</td> <td>NO.</td> <td>FE</td> </tr> <tr> <td>0</td> <td>07/26/06</td> <td></td> <td></td> <td>646.3700</td> <td></td> </tr> <tr> <td colspan="5">SCALE: NONE</td> <td>SHEET 5 OF 9</td> </tr> </table>	REV	DATE	CODE	BY	NO.	FE	0	07/26/06			646.3700		SCALE: NONE					SHEET 5 OF 9
REV	DATE	CODE	BY	NO.	FE														
0	07/26/06			646.3700															
SCALE: NONE					SHEET 5 OF 9														


REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED






NEXT ASSY (S)	ORIGINAL DATE CQ MO YR	08 18 08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
	BY BRVO	1 J08PM		
	DRAWING APPROVAL DATE CQ MO YR	08 18 08	SHEET METAL S/P CAGE CODE DWG. NO B 07M26 646.3700 SCALE NONE SHEET # OF P	
	COMPARISON NO			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES .5°				

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



646.3716





FLAT PATTERN

NEXT ASSY (S)	ORIGINAL DATE	08-15-02	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
	DESIGNED BY	REVIEWED		
	BY	DATE	SHEETMETAL	
	DATE		646.3700	
	DATE		SHEET 7 OF 9	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED







646.3717

NEXT ASSY (S)		ORIGINAL DATE 06-18-08	06-18-08
DRAWN BY P. BRAY		CHECKED BY J. KOSKINEN	
DESIGNED BY J. KOSKINEN		APPROVED BY J. KOSKINEN	
CONTRACT NO.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			
TOLERANCES UNLESS SPECIFIED			
FRACTIONS DECIMALS			
ANGLES			
SCALE: 1"=1'-0"		SHEET: 8 OF 9	

APICAL INDUSTRIES			
2608 TEMPLE HEIGHTS DR.			
OCEANSIDE, CA. 92056-3512 (760) 724-5300			
SHEETMETAL			
DATE	CAGE CODE	DWG. NO.	REV.
B	07M26	646.3700	A

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



APICAL INDUSTRIES		SHEET 2 OF 5	
2608 TEMPLE HEIGHTS DR OCEANSIDE, CA 92056-3512 (760) 724-3300		646.3700	
DRAWING ASSY IS:		SCALE: NONE	
DRAWING NO. 1		B. DIMS	
DATE: 10-8-20		SHEET 2 OF 5	
DRAWING ASSY IS:		SHEET 2 OF 5	
DRAWING NO. 1		SHEET 2 OF 5	
DATE: 10-8-20		SHEET 2 OF 5	

REV	DESCRIPTION	DATE	APPROVED

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE
Purchase Order ID PO36166

Purchase Order Date 5/2/2017
PO Print Date 5/24/2017

Page Number 10 of 11

Order From:
A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

VC-ATG001

Ship To: DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 613-446-4544

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

28	160183	646.2910 DEFLECTOR REV. N/C	6/16/2017	6.00	\$48.00	\$288.00
			Yes			
			6/16/2017			
FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N						
Line Total:						\$288.00

29	159860	646.3715 STRUT DOUBLER REV. A	6/16/2017	65.00	\$6.25	\$406.25
			Yes			
			6/16/2017			
FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N						
Line Total:						\$406.25

30	71401-45	ADMIN FEE	6/16/2017	1.00 Each	\$650.00	\$650.00
			Yes			
			6/16/2017			
Line Total:						\$650.00

PO Instructions: PRIMER IS SUPPLIED BY DART

Note:

5/24/2017



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913379

Date: 08-Jun-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
	- .9 mils). Job: 21079	PO: PO36166	Line: 27
65 ea	Part: 646.3715 Strut Doubler Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils). Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils). Job: 21108	PO: PO36166	Rev: A Line: 29
10 ea	Part: 646.3812 Gusset Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils). Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils). Job: 21110	PO: PO36166	Rev: NC Line: 32
CERTIFICATE OF CONFORMANCE A.T.G Industries Inc. certifies that all items in this shipment conform to the requirements. Date: <u>08/06/2017</u> Certified Signature: <u>[Signature]</u> Receiver Signature: <u>SP17-6-8</u> A.T.G Industries Inc. is AS9100 Registered and Nadcap Chemical Processing Accredited. Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt. Made in Canada.			